



Ground care and golf

Europe

Designed for
your journey



Ground Care

Discover KENDA's premium Ground Care tires. Pristine lawns, rugged terrain or slopy sidehills - our tires are engineered to deliver excellent performance, durability and reliability no matter the conditions.

Designed with innovative tread patterns and durable materials, our Ground Care tires offer the traction, stability and turf protection you need. KENDA has been part of setting the industry standard for years, so whether you require quality tires for residential or commercial use, we have the right tire for the job.





Residential use

Engineered for excellent everyday performance, our reliable residential tires ensure seamless lawn care. Designed for precise steering, long-lasting tread life and tough yet gentle grip.

K358 Turf Rider

- > A proven performer for outdoor power equipment, especially residential mowers
- > Turf-friendly chevron tread for excellent traction and optimal self-cleaning
- > Constructed for long-lasting performance



Tires for residential use 4" - 10"

Dimension	Pattern	LI1	SI1	TL/TT	EAN	mm	mm	kg	km/h	bar	rim	E-mark
4"												
4.10/3.50-4	KENDA K358	43	A4	Tyre TL	313313	271	100	155	20	3,5	2.50	Yes
5"												
11x4.00-5	KENDA K358	41	A4	Tyre TL	332253	272	94	145	20	3,2	3.00	Yes
6"												
13x5.00-6	KENDA K383 Power Turf	37	A4	Tyre TL	329604	320	115	128	20	1,4	3.50	Yes
13x5.00-6	KENDA K358	51	A4	Tyre TL	332284	325	120	195	20	2,8	3.50	Yes
13x5.00-6	KENDA K358	51	A4	Set	311791	325	120	195	20	2,8	3.50	Yes
13x5.00-6	KENDA K358	60	A4	Tyre TL	542478	330	121	250	20	4,2	3.50	Yes
13x6.50-6	KENDA K358	53	A4	Tyre TL	330167	335	158	206	20	2	4.50	Yes
14x5.50-6	KENDA K383 Power Turf			Tyre TL	151083	344	127	140	16	1	3.50	No
15x6.00-6	KENDA K383 Power Turf	45	A4	Tyre TL	128221	377	152	165	20	1	4.50	Yes
15x6.00-6	KENDA K358	60	A4	Tyre TL	330105	372	158	250	20	2,1	4.50	Yes
8"												
16x6.50-8	KENDA K358	63	A4	Tyre TL	313023	404	164	272	20	2	5.375	Yes
16x6.50-8	KENDA K358	70	A4	Tyre TL	272306	407	169	335	20	2,9	5.375	Yes
16x6.50-8	KENDA K358	70	A4	Set	363929	407	169	335	20	2,9	5.375	Yes
16x7.50-8	KENDA K383 Power Turf	78	A6	Tyre TL	330372	414	188	425	30	3,2	5.50	Yes
18x8.50-8	KENDA K358	81	A4	Tyre TL	532196	469	215	462	20	2,4	7.00	Yes
120/85-8	KENDA K358	51	A4	Tyre TL	314693	406	122	195	20	1,4	3.75	Yes
120/85-8	KENDA K358	66	A4	Tyre TL	329253	416	126	300	20	2,9	3.75	Yes
LP190-8	KENDA K383 Power Turf	90	A4	Tyre TL	153223	420	185	600	20	5,9	5.50	Yes
10"												
20x10.00-10	KENDA K358	97	A4	Tyre TL	542553	516	256	730	20	2,8	8.00	Yes

K383 Power Turf

- > A powerful go-to for lawn- and ride-on mowers
- > Square knobs provide stability and grip without damaging the turf
- > Designed for a smooth ride feel





Commercial Use

Our commercial use tires are crafted to handle the demands of even the toughest turfs. From large greens to urban grasses our tires let you conquer every terrain with maximum precision, gentle care and minimal downtime.

Tires for commercial use 4" - 8"

Dimension	Pattern	LI1	SI1	TL/TT	EAN	mm	mm	kg	km/h	bar	rim	E-mark
4"												
4.10/3.50-4	KENDA K404	43	A4	Set	309996	263	92	155	20	3,5	2.50	Yes
11x4.00-4	KENDA K500 Super Turf	41	A4	Tyre TL	128122	271	103	145	20	2,1	2.75	Yes
5"												
4.10/3.50-5	KENDA K404	47	A4	Tyre TL	134529	282	100	175	20	3,5	3	Yes
11x4.00-5	KENDA K500 Super Turf	41	A4	Tyre TL	128153	276	100	145	20	3,2	3	Yes
6"												
13x5.00-6	KENDA K500 Super Turf	51	A4	Tyre TL	128191	322	122	195	20	2,8	3.5	Yes
15x6.00-6	KENDA K500 Super Turf	46	A4	Tyre TL	469805	363	155	170	20	1	4.5	Yes
15x6.00-6	KENDA K500 Super Turf	60	A4	Tyre TL	128238	374	156	250	20	2,1	4.5	Yes
8"												
16x6.50-8	KENDA K500 Super Turf	63	A4	Tyre TL	128276	400	178	272	20	2	5.375	Yes
16x6.50-8	KENDA K502 Terra Trac	63	A4	Tyre TL	318233	398	165	272	20	1,9	5.375	Yes
16x6.50-8	KENDA K500 Super Turf	70	A4	Tyre TL	381107	400	180	335	20	2,9	5.375	Yes
16x7.50-8	KENDA K500 Super Turf	64	A4	Tyre TL	128306	414	184	280	20	1,7	5.375	Yes
16x7.50-8	KENDA K500 Super Turf	73	A4	Tyre TL	294445	428	185	365	20	2,2	5.375	Yes
18x6.50-8	KENDA K500 Super Turf	70	A4	Tyre TL	128368	452	170	335	20	2	5.375	Yes
18x6.50-8	KENDA K500 Super Turf	77	A4	Tyre TL	278506	460	170	412	20	2,8	5.375	Yes
18x7.50-8	KENDA K500 Super Turf	72	A4	Tyre TL	128399	457	191	355	20	1,7	5.375	Yes
18x8.50-8	KENDA K500 Super Turf	73	A4	Tyre TL	128436	452	216	365	20	1,5	7	Yes
18x8.50-8	KENDA K505 Turf	73	A4	Tyre TL	265469	450	210	365	20	1,5	7	Yes
18x8.50-8	KENDA K500 Super Turf	81	A4	Tyre TL	128467	452	217	462	20	2,4	7	Yes
18x8.50-8	KENDA K505 Turf	88	A4	Tyre TL	548425	455	211	560	20	3	7	Yes
18x9.50-8	KENDA K3002 Hill Ranger	81	A4	Tyre TL	613635	484	233	462	20	1,7	7	Yes
18x9.50-8	KENDA K404	81	A4	Tyre TL	330402	458	236	462	20	1,7	7	Yes
18x9.50-8	KENDA K500 Super Turf	89	A4	Tyre TL	128528	476	234	580	20	2,5	7	Yes
20x10.00-8	KENDA K500 Super Turf	86	A4	Tyre TL	128573	498	259	530	20	1,5	8	Yes
20x10.00-8	KENDA K3002 Hill Ranger	87	A4	Tyre TL	688350	512	240	545	20	1,5	7	Yes
20x10.00-8	KENDA K500 Super Turf	94	A4	Tyre TL	278513	504	261	670	20	2,4	8	Yes

K500 Super Turf

- > A premier turf tire and the top OEM choice for many ZTRs and high-end commercial mowers
- > Siped lugs provide good traction and self-cleaning while protecting the turf
- > Thick tread for enhanced puncture resistance and longer tread life



K502 Terra Trac

- > Superior sidehill traction for ZTRs, mowers and garden tractors
- > Wrap-around lug design for excellent grip on wet or damp grass
- > Designed for reliable handling and long-lasting versatility

K505 Turf

- > Additional tread depth provides gentle toughness for ZTRs and commercial mowers
- > Self-cleaning, siped lug design for reliable turf and sidehill traction
- > Durable rubber compound for less wear and longer tread life



Tires for commercial use 10" - 12"

Dimension	Pattern	LI1	SI1	TL/TT	EAN	mm	mm	kg	km/h	bar	rim	E-mark
10"												
20x8.00-10	KENDA K513 Commercial Turf	76	A4	Tyre TL	337425	516	224	400	20	1,5	7	Yes
20x8.00-10	KENDA K513 Commercial Turf	85	A6	Tyre TL	470344	518	218	515	30	3	6	Yes
20x10.00-10	KENDA K500 Super Turf	85	A4	Tyre TL	151076	501	246	515	20	1,5	8	Yes
20x10.00-10	KENDA K513 Commercial Turf	85	A4	Tyre TL	337432	510	235	515	20	1,5	7	Yes
20x10.00-10	KENDA K500 Super Turf	97	A4	Tyre TL	267937	501	246	730	20	2,8	8	Yes
20.5x8.00-10	KENDA K513 Commercial Turf	76	20	Tyre TL	383002	526	213	400	20	1,6	6	Yes
22x11.00-10	KENDA K502 Terra Trac	102	A4	Tyre TL	259130	564	289	850	20	2,4	10	Yes
195/55-10	KENDA K500 Super Turf	72	A4	Tyre TL	389585	462	190	355	20	1,5	6	Yes
195/55-10	KENDA K513 Commercial Turf	72	A4	Tyre TL	337401	465	206	355	20	1,5	7	Yes
290/40-10	KENDA K516	89	A4	Tyre TL	380094	500	287	580	20	1,4	9.75	Yes
12"												
23x8.50-12	KENDA K500 Super Turf	83	A4	Tyre TL	129082	574	214	487	20	1,5	7	Yes
23x8.50-12	KENDA K500 Super Turf	92	A4	Tyre TL	129099	576	215	630	20	2,4	7	Yes
23x8.50-12	KENDA K500 Super Turf	110	A4	Tyre TL	151069	570	219	1060	20	5,5	7	Yes
23x9.50-12	KENDA K500 Super Turf	91	A4	Tyre TL	129129	599	247	615	20	1,7	7	Yes
23x10.50-12	KENDA K500 Super Turf	89	A4	Tyre TL	129006	580	264	580	20	1,4	8.5	Yes
23x10.50-12	KENDA K502 Terra Trac	89	A4	Tyre TL	206264	583	260	580	20	1,4	8.5	Yes
23x10.50-12	KENDA K505 Turf	92	A4	Tyre TL	265599	576	245	630	20	1,5	7	Yes
23x10.50-12	KENDA K500 Super Turf	99	A4	Tyre TL	129013	580	265	775	20	2,2	8.5	Yes
23x10.50-12	KENDA K500 Super Turf	106	A4	Tyre TL	278537	580	265	950	20	2,9	8.5	Yes
24x12.00-12	KENDA K500 Super Turf	98	A4	Tyre TL	129150	595	300	750	20	1,4	9.5	Yes
24x12.00-12	KENDA K505 Turf	108	A4	Tyre TL	265612	609	310	1000	20	2,25	10.5	Yes
24x12.00-12	KENDA K500 Super Turf	117	A4	Tyre TL	265605	598	292	1285	20	3,5	8.5	Yes
24x12.00R12	KENDA K3014R Turf steel	98	A4	Tyre TL	735283	608	283	750	20	1,4	8.5	Yes
24x13.00-12	KENDA K507	98	A4	Tyre TL	265629	610	333	750	20	1,2	10.5	Yes
24x13.00-12	KENDA K507	108	A4	Tyre TL	279794	610	333	1000	20	1,9	10.5	Yes
25x10.00-12	KENDA K502 Terra Trac			Tyre TL	370002	635	254	760	16	1,7	8	No
25x11.00-12	KENDA K502 Terra Trac	99	A4	Tyre TL	370019	627	259	775	20	1,5	8	Yes

K507

- > High flotation for commercial mowing equipment and the perfect choice for golf courses and municipalities
- > A wide footprint ensures a smooth ride with minimal compaction
- > Durable rubber compound and chevron tread for turf-friendly traction





K513

- > All-weather sidehill traction for commercial mowers
- > Siped lugging and an enhanced sidewall scuff bar provides unbeatable durability
- > A long-lasting rubber compound provides slow wear and good puncture resistance








K516

- > Turf-friendly tread with siped lugs ideal for turf applications
- > High flotation and minimal compaction due to wide footprint
- > A high rubber-to-void ratio on the tread provides better puncture resistance and a longer tire life





Tires for commercial use 12" - 15.5"

      												
Dimension	Pattern	LI1	SI1	TL/TT	EAN	mm	mm	kg	km/h	bar	rim	E-mark
26x12.00-12	KENDA K500 Super Turf	124	A8	Tyre TL	644165	671	332	1600	40	6	10.5	Yes
26x12.00-12	KENDA K502 Terra Trac			Tyre TL	104485	635	295	808	16	1,4	8.5	No
26x12.00-12	KENDA K500 Super Turf	99	A4	Tyre TL	129426	655	325	775	20	1,4	10.5	Yes
26x12.00-12	KENDA K505 Turf	99	A4	Tyre TL	265681	645	307	775	20	1,4	10.5	Yes
26x12.00-12	KENDA K500 Super Turf	119	A4	Tyre TL	129440	669	321	1360	20	3,5	10.5	Yes
380/50-12	KENDA K507	106	A4	Tyre TL	265667	670	376	950	20	1,2	10.5	Yes
380/50-12	KENDA K507	114	A4	Tyre TL	278179	668	379	1180	20	1,8	10.5	Yes
14"												
215/60-14	KENDA K505 Turf	87	A6	Tyre TL	439327	607	216	545	30	2	7	Yes
215/65-14	KENDA K505 Turf	98	A6	Tyre TL	435916	635	221	750	30	3	7	Yes
15"												
212/80-15	KENDA K505 Turf	79	A6	Tyre TL	435923	721	217	437	30	1,6	7	Yes
215/70-15	KENDA K505 Turf	96	A6	Tyre TL	439334	675	213	710	30	3,2	7	Yes
16,5"												
320/65-16.5	KENDA K500 Super Turf	109	A4	Tyre TL	269153	838	318	1030	20	2,1	9.75	Yes

K404

- > Durable and tough tire ideal for cutter decks
- > Superior sidewall stability for confident handling
- > Wide contact patch for a gentle ride on the turf



K3002 Hill Ranger

- > The ultimate sidehill grip for commercial mowers and garden tractors
- > Tread optimised for reliable slope traction in both wet and dry weather
- > Asymmetrical lug pattern and flexible compound for efficient self-cleaning

K3014R Turf steel

- > Steel belted tire provides maximum puncture resistance ideal for commercial mowers and ZTRs
- > Broad, non-directional tread pattern for excellent sidehill grip without compromising the turf
- > True Steel Belted Radial classification for low rolling resistance and a superior ride feel







Golf

Meet our Golf tires, crafted to meet the industry's unique needs of protection, productivity and playability. With stylish but functional tread designs and durable compounds, KENDA Golf tires provide exceptional traction with minimal turf impact.

KENDA is one of the leaders in the golf cart market, because our tires ensure confident handling and a smooth ride feel to professionals all over the world. Elevate the golf cart experience with a partner that keeps you moving.

Golf tires from 8" - 12"

Dimension	Pattern	LI1	SI1	TL/TT	EAN	mm	mm	kg	km/h	bar	rim	E-mark
8"												
18x6.50-8	KENDA K389 Hole N-1	77	A4	Tyre TL	270944	453	163	412	20	2,76	5.00	Yes
18x8.50-8	KENDA K389 Hole N-1	73	A4	Tyre TL	128443	448	216	365	20	1,5	7.00	Yes
18x8.50-8	KENDA K389 Hole N-1	81	A4	Tyre TL	270623	452	216	462	20	2,4	7.00	Yes
10"												
20x10.00-10	KENDA K389 Hole N-1	88	A4	Tyre TL	539027	504	245	560	20	2,2	8.00	Yes
205/50-10	KENDA K399 Pro Tour			Tyre TL	128641	465	196	363	15	2,1	6	No
205/50-10	KENDA K399 Pro Tour	80	B	Tyre TL	270630	466	195	450	50	3,1	6.00	Yes
205/50R10	KENDA K399 Pro Tour	81	B	Tyre TL	381879	474	186	462	50	3,1	6.00	Yes
12"												
205/35R12	KENDA K399 Pro Tour			Tyre TL	615295	455	202	247	80	1,9	7.00	No
205/40R12	KENDA K3005R	77	F	Tyre TL	700595	473	203	412	80	3	7	Yes
205/50-12	KENDA K389 Hole N-1	87	A4	Tyre TL	587547	508	207	545	20	2,2	7.00	Yes

K3005R Kruizer

- > The perfect tire for golf carts operating on hard surfaces
- > Stable radial design inspired by automotive standards and approved for up to 80 km/h
- > Siped tread design for excellent self-cleaning

K399 Pro Tour

- > Durable, premium tire optimised for paved surfaces
- > A wide footprint provides balanced traction on both turf and pavement
- > The perfect choice for golf car communities and property management applications





K399 Pro Tour Radial

- > Same durable compound, balanced traction and wide footprint as the Pro Tour
- > A radial construction provides a softer ride, less rolling resistance and improved fuel economy
- > The perfect choice for golf car communities and property management applications


K389 Hole-N-1


- > One of the golf cart industry's front runners for years
- > Turf-friendly sawtooth tread for excellent traction
- > Durable rubber compound to ensure a long service life



About KENDA

KENDA was founded in Taiwan in 1962 and has since grown to become one of the world's leading tire manufacturers operating across Asia, the US and Europe. Powered by a passion for mobility, we design and manufacture tires for your journey. We continuously work to ensure progression and to keep the world moving on tires and wheels that are fit for life. With more than 14.000 employees, 8 tire factories, 6 wheel factories, 4 technical centres and a global network of operation and distribution sites, we are proud to be a reliable partner for our customers.

 specialty.kendaeurope.com

 KENDA Tires Europe