




ATV and UTV tires

Europe

Designed for
your journey

A full-page background image showing a person in a helmet and riding gear driving an ATV through a sandy desert at sunset. The rider is silhouetted against the bright orange and yellow sky. The ATV is kicking up a large cloud of sand from its rear wheel. The overall mood is adventurous and rugged.

Conquer any terrain

Discover KENDA's ATV and UTV tires where versatility meets reliability. Engineered for excellence with a balanced design, durable compounds and strong sidewalls, these tires have your back in any adventure.



Off road beasts



Masters of the mud

Dig deep with our ATV tires with up to 6-ply casings. Engineered for reliable grip and maximum performance in soft and loose terrains like dirt, sand, grass and mud.

KENDA K538 Executioner, K299 Bearclaw and K299A Bearclaw product range XL

Dimension	Alternativ dimension	Pattern	SI1	LI1	EAN	TL/TT	mm	mm	kg	km/h	bar	rim	E-mark
AT22x12.00-8		KENDA K299 Bear Claw	F	46	128948	Tyre TL	545	290	170	80	0,35	10.00	Yes
285/70-9	25x12.50-9	KENDA K299 Bear Claw	F	51	744544	Tyre TL	622	285	195	80	0,35	9.5	Yes
24x11.00-10	265/65-10	KENDA K299 Bear Claw	F	47	129143	Tyre TL	596	262	175	80	0,35	8.5	Yes
24x9.00-11	215/75-11	KENDA K299 Bear Claw	F	36	129228	Tyre TL	605	218	125	80	0,35	7.0	Yes
AT24x10-11		KENDA K299A Bearclaw XL	F	43	100159	Tyre TL	612	250	155	80	0,3	8.0	Yes
AT24x10-11	235/70-11	KENDA K299 Bear Claw	F	48	740591	Tyre TL	621	243	180	80	0,45	8.0	Yes
25x12.50-11	275/60-11	KENDA K299 Bear Claw	F	51	661513	Tyre TL	615	275	195	80	0,35	9.5	Yes
24x8.00-12		KENDA K299 Bear Claw	F	35	129181	Tyre TL	594	190	121	80	0,35	6.0	Yes
AT24x8-12		KENDA K299A Bearclaw XL	F	35	100166	Tyre TL	610	195	121	80	0,3	6.50	Yes
25x8.00-12		KENDA K299 Bear Claw	F	38	129419	Tyre TL	625	205	132	80	0,35	6.5	Yes
AT25x8-12		KENDA K299A Bearclaw XL	F	43	145419	Tyre TL	642	205	155	80	0,5	6.5	Yes
25x10.00-12	255/65-12	KENDA K299 Bear Claw	F	45	129273	Tyre TL	623	239	165	80	0,35	8.5	Yes
AT25x10-12		KENDA K299A Bearclaw XL	F	50	145396	Tyre TL	645	246	190	80	0,5	8.0	Yes
25x12.50-12	305/55-12	KENDA K299 Bear Claw	F	51	129303	Tyre TL	640	290	195	80	0,35	9.5	Yes
AT25x12.50-12	300/55-12	KENDA K299A Bearclaw XL	F	51	100197	Tyre TL	635	300	195	80	0,3	9.50	Yes
26x10-12		KENDA K538 Executioner	L	52	271828	Tyre TL	660	247	200	120	0,5	7.5	Yes
AT26x10-12		KENDA K299A Bearclaw XL	F	52	100388	Tyre TL	660	254	200	80	0,5	8.00	Yes
26x12.00-12	305/55-12	KENDA K299 Bear Claw	F	51	129433	Tyre TL	640	292	195	80	0,35	10.50	Yes
AT26x12-12		KENDA K299A Bearclaw XL	F	58	100395	Tyre TL	660	300	236	80	0,5	9.5	Yes
AT27x9-12	235/80-12	KENDA K299 Bear Claw	N	52	104508	Tyre TL	686	230	200	140	0,5	7.0	Yes
AT27x11-12	280/65-12	KENDA K299 Bear Claw	N	56	104515	Tyre TL	686	274	224	140	0,5	8.5	Yes
27x12.00-12	305/60-12	KENDA K299 Bear Claw	F	51	129464	Tyre TL	659	288	195	80	0,35	9.5	Yes
205/80-12	AT25x8-12	KENDA K538 Executioner	L	43	265650	Tyre TL	630	210	155	120	0,5	7.0	Yes
255/65-12	AT25x10-12	KENDA K538 Executioner	L	50	265636	Tyre TL	630	235	190	120	0,5	7.0	Yes
305/55-12	26x12-12	KENDA K538 Executioner	L	58	271835	Tyre TL	660	273	236	120	0,5	8.0	Yes

K538 Executioner

Kill the mud

- > Reinforced knobs for deep traction in the muddiest conditions
- > Deep lug pattern for better ride comfort and longer tread life
- > Dimpled tread surface improves traction in drier conditions
- > Up to 6-ply casing for extra tough puncture resistance
- > Rim saver feature protects against damage and tears

Mud and sand	■ ■ ■ ■ ■
Rock	■ ■ ■ ■ ■
Dry hard pack	■ ■ ■ ■ ■
Longevity	■ ■ ■ ■ ■



K299 Bearclaw

Dig deep with the one and only

- > Up to 6-ply casing for extra tough puncture resistance
- > Angled knobs dig into the terrain for maximum traction
- > Centre lugs designed for grip and confident handling
- > Built-in rim guard for expert protection
- > Long-lasting tread compound

Mud and sand	■ ■ ■ ■ ■
Rock	■ ■ ■ ■ ■
Dry hard pack	■ ■ ■ ■ ■
Longevity	■ ■ ■ ■ ■

K299A Bearclaw XL

Dig even deeper with the XL

- > Same features as the Bearclaw, but with an extra 5mm tread depth

Mud and sand	■ ■ ■ ■ ■
Rock	■ ■ ■ ■ ■
Dry hard pack	■ ■ ■ ■ ■
Longevity	■ ■ ■ ■ ■



Hard terrain champions

Enter heavy-duty heaven with our UTV tires sporting 8-ply casings. Engineered for dependable grip and versatile performance in tight packed and rough terrains like trails, rocks and mountains.

K3204R Klever X/T

Dominate the rocks

- > The lightest steel belted 8 ply UTV tire on the market
- > Designed to excel in hard, rocky conditions with studable pattern for winter riding
- > Based off our popular Klever light truck tire for a smooth ride quality
- > Low rolling resistance and exceptional traction on all surfaces
- > Robust bead protector shields the wheel from rock damage

Mud and sand	■	■	■	■	■	■
Rock	■	■	■	■	■	■
Dry hard pack	■	■	■	■	■	■
Longevity	■	■	■	■	■	■





KENDA K3204R Klever X/T and K576A Kongur product range

Dimension	Alternativ dimension	Pattern	SI1	LI1	EAN	TL/TT	mm	mm	kg	km/h	bar	rim	E-mark
235/70R14	27x9.00R14	KENDA K3204R Klever X/T	M	65	104522	Tyre TL	690	222	290	130	2,6	6	Yes
255/75R14	AT28x10R14	KENDA K576A Kongur	M	59	100203	Tyre TL	741	251	243	130	1,5	7.0	Yes
255/80R14	30x10.00R14	KENDA K3204R Klever X/T	M	74	100227	Tyre TL	771	262	375	130	2,6	7	Yes
255/85R14	AT30x10R14	KENDA K576A Kongur	M	63	100210	Tyre TL	790	267	272	130	1,5	7.0	Yes
255/90R14 M/C	32X10.00R14	KENDA K3204R Klever X/T	M	79	142852	Tyre TL	812	270	437	130	2,6	8	Yes
275/60R14	27x11.00R14	KENDA K3204R Klever X/T	M	71	104539	Tyre TL	690	277	345	130	2,6	8.5	Yes
255/85R15 M/C	32X10.00R15	KENDA K3204R Klever X/T	M	78	142890	Tyre TL	818	263	425	130	2,6	8	Yes

K576A Kongur

Climb any mountain

- > The classic all-round trail and hard terrain UTV/SXS tire
- > Maximum toughness with 8-ply rated casing
- > Radial design for a smooth ride
- > Light truck inspired tread pattern for durability and versatility

Mud and sand	■ ■ ■ ■ ■
Rock	■ ■ ■ ■ ■
Dry hard pack	■ ■ ■ ■ ■
Longevity	■ ■ ■ ■ ■





K3201 Mastodon HT

Never slow down

- > The ultimate trail and hard terrain UTV/SXS tire
- > Built to excel in both high-speed desert conditions and tight rocky terrain
- > Heavy-duty 8 ply casing for maximum puncture resistance
- > Smooth ride feel with a light truck tire influenced tread pattern

Mud and sand	■ ■ ■ ■
Rock	■ ■ ■ ■
Dry hard pack	■ ■ ■ ■
Longevity	■ ■ ■ ■



KENDA K3201 Mastodon HT and K587 Bearclaw product range

													
Dimension	Alternativ dimension	Pattern	SI1	LI1	EAN	TL/TT	mm	mm	kg	km/h	bar	rim	E-mark
AT27x9R12		KENDA K3201 Mastodon HT	M	66	100326	Tyre TL	694	228	300	130	2,6	7.00	Yes
205/80R12	AT25x8R12	KENDA K587 Bear Claw HTR	N	43	380117	Tyre TL	645	208	155	140	0,5	7.0	Yes
205/85R12	AT25x8R12	KENDA K3201 Mastodon HT	N	43	100234	Tyre TL	654	204	155	140	1,7	7.0	Yes
230/75R12	AT26x9R12	KENDA K587 Bear Claw HTR	N	49	396576	Tyre TL	670	230	185	140	0,5	7.0	Yes
230/80R12	AT26x9R12	KENDA K3201 Mastodon HT	N	49	100258	Tyre TL	689	232	185	140	1,7	7.0	Yes
235/80R12	AT27x9R12	KENDA K587 Bear Claw HTR	N	52	396354	Tyre TL	691	234	200	140	0,5	7.0	Yes
255/65R12	AT25x10R12	KENDA K587 Bear Claw HTR	N	50	396538	Tyre TL	645	254	190	140	0,5	8.0	Yes
255/70R12	AT25x10R12	KENDA K3201 Mastodon HT	N	50	100241	Tyre TL	664	250	190	140	1,7	8.0	Yes
270/70R12	AT26x11R12	KENDA K3201 Mastodon HT	N	55	100265	Tyre TL	689	279	218	140	1,7	8.0	Yes
280/60R12	AT26x11R12	KENDA K587 Bear Claw HTR	N	55	396606	Tyre TL	674	281	218	140	0,5	8.0	Yes
280/65R12	AT27x11R12	KENDA K587 Bear Claw HTR	N	56	396620	Tyre TL	696	279	224	140	0,5	8.0	Yes
280/70R12	AT27x11R12	KENDA K3201 Mastodon HT	M	71	100333	Tyre TL	696	278	345	130	2,6	9.00	Yes
215/80R14	AT28x9R14	KENDA K587 Bear Claw HTR	L	51	100043	Tyre TL	714	220	195	120	0,5	7.0	Yes
230/65R14	AT26x9R14	KENDA K587 Bear Claw HTR	N	48	497808	Tyre TL	670	236	180	140	0,5	7.0	Yes
230/70R14	AT26x9R14	KENDA K3201 Mastodon HT	N	48	100272	Tyre TL	693	220	180	140	1,7	7.0	Yes
235/75R14	AT28x9R14	KENDA K3201 Mastodon HT	M	67	100340	Tyre TL	711	223	307	130	2,6	7.00	Yes
255/75R14	AT28x10R14	KENDA K3201 Mastodon HT	M	59	100357	Tyre TL	738	248	243	130	1,5	8.0	Yes
255/85R14	AT30x10R14	KENDA K3201 Mastodon HT	M	63	100371	Tyre TL	782	258	272	130	1,4	8.00	Yes
255/90R14 M/C	AT32x10.00R14	KENDA K3201 Mastodon HT	M	78	142845	Tyre TL	813	255	425	130	2,6	8.0	Yes
265/65R14	AT28x11R14	KENDA K587 Bear Claw HTR	L	58	100142	Tyre TL	714	274	236	120	0,5	9.0	Yes
275/65R14	AT28x11R14	KENDA K3201 Mastodon HT	M	73	100364	Tyre TL	711	273	365	130	2,6	9.0	Yes
280/55R14	AT26x11R14	KENDA K587 Bear Claw HTR	N	54	396347	Tyre TL	670	276	212	140	0,5	8.0	Yes
280/60R14	AT26x11R14	KENDA K3201 Mastodon HT	N	56	100289	Tyre TL	695	269	224	140	1,8	8.0	Yes
255/85R15 M/C	32X10.00R15	KENDA K3201 Mastodon HT	M	77	142876	Tyre TL	813	253	412	130	2,6	8.0	Yes
255/90R15 M/C	33x10.00R15	KENDA K3201 Mastodon HT	M	80	142906	Tyre TL	838	254	450	130	2,6	8.0	Yes
255/100R15 M/C	35X10.00R15	KENDA K3201 Mastodon HT	M	84	142920	Tyre TL	889	259	500	130	2,6	8.0	Yes

K587 Bearclaw HTR

Excel in all terrains

- > Designed for maximum versatility across all terrains
- > 8-ply casing for high-level puncture resistance
- > Radial design with centre knobs for excellent handling and low vibration
- > Tall knobs engineered to dig into dirt and mud and spaced for superior self-cleaning

Mud and sand					
Rock					
Dry hard pack					
Longevity					





Warriors on the road



The easy riders

Race to the finish line or respect the turf with our ATV tires designed for on the road use. Engineered for versatile performance whether you are doing hard surface racing or need to go easy on your grass.



K290 Scorpion

Tread lightly, ride boldly

- > **Great value all-rounder for many terrains and applications**
- > **Knobby but gentle tread for enhanced stability**
- > **Lightweight and easy rolling for increased turf protection**
- > **Puncture resistant for a reliable ride**

Mud and sand			
Loam			
Dry hard pack			
Longevity			





KENDA K290 Scorpion and K46, K547 Speedracer product range

Dimension	Alternativ dimension	Pattern	SI1	LI1	EAN	TL/TT	mm	mm	kg	km/h	bar	rim	E-mark
145/70-6		KENDA K290 Scorpion	F	18	661490	Tyre TL	360	137	75	80	0,35	4.5	Yes
18x9.50-8		KENDA K290 Scorpion	F	30	128474	Tyre TL	468	224	106	80	0,3	7.0	Yes
19x7.00-8		KENDA K290 Scorpion	F	30	128535	Tyre TL	482	174	106	80	0,35	5.5	Yes
20x7.00-8		KENDA K290 Scorpion	F	23	128672	Tyre TL	482	174	87,5	80	0,3	5.50	Yes
20x10.00-8		KENDA K290 Scorpion	F	35	128559	Tyre TL	513	235	121	80	0,35	8.00	Yes
AT22x11.00-8		KENDA K290 Scorpion	F	43	661520	Tyre TL	550	250	155	80	0,35	8.5	Yes
20x10.00-9	235/60-9	KENDA K290 Scorpion	F	34	272368	Tyre TL	516	231	118	80	0,35	8.0	Yes
285/70-9	25x12.00-9	KENDA K290 Scorpion	F	51	661506	Tyre TL	610	279	195	80	0,35	9.5	Yes
AT21x7-10	175/75-10	KENDA K546F Speedracer	N	40	259512	Tyre TL	533	177	140	140	0,5	5.5	Yes
AT25x8-12	205/80-12	KENDA K546F Speedracer	N	43	259536	Tyre TL	629	207	155	140	0,5	6.0	Yes
AT25x10-12	255/65-12	KENDA K547 Speedracer	N	50	259635	Tyre TL	633	234	190	140	0,5	7.0	Yes

K546, K547 Speedracer

Speed through any terrain

- > Versatile design optimised for both hard surface racing and easy turf riding
- > One of the favourites for dual sport racing
- > Deep lugs for superior self-cleaning in all conditions
- > Low-void tread pattern for quiet traction on the road

Mud and sand	■ ■ ■ ■ ■
Loam	■ ■ ■ ■ ■
Dry hard pack	■ ■ ■ ■ ■
Longevity	■ ■ ■ ■ ■







About KENDA

KENDA was founded in Taiwan in 1962 and has since grown to become one of the world's leading tire manufacturers operating across Asia, the US and Europe. Powered by a passion for mobility, we design and manufacture tires for your journey. We continuously work to ensure progression and to keep the world moving on tires and wheels that are fit for life. With more than 12.000 employees, 8 tire factories, 6 wheel factories, 4 technical centres and a global network of operation and distribution sites, we are proud to be a reliable partner for our customers.



specialty.kendaeurope.com



KENDA Tires Europe